From:	Wagner, Christine [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP
	(FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]
Sent:	9/15/2022 9:28:41 PM
To:	Nonresponsive based on revised scope Esposito, Karen [esposito.karen@epa.gov]
CC:	Nonresponsive based on revised scope
Subject:	FW: START 6 August 2022 Monthly Status Report - Wagner - Shiloh Church Road Removal Sampling & Data Mgmt
Attachments:	T601-22-08-002_August_2022_Shiloh Church Road Removal Sampling & Data Mgmt.pdf
Nonresponsive based on revised so	оре
This MSR i	s a good example of financial documentation. had 41 hours, but divided them
	to task, which made the invoice easy to review and approve
Nice work Nice work of the transfer of the tra	
Nice work	orresponsive based on revised scope
Karen – reviewed and approved	
Thank you	
Chris	
010	
From:	Nonresponsive based on revised scope
Sent: Thursd	ay, September 15, 2022 3:09 PM
To: Wagner, Christine < Wagner. Christine@epa.gov>	
Cc: Esposito.	Karen <esposito.karen@epa.gov>; Nonresponsive based on revised scope</esposito.karen@epa.gov>
	pased on revised scope
L	RT 6 August 2022 Monthly Status Report - Wagner - Shiloh Church Road Removal Sampling & Data Mgmt
Judject. JIA	The August 2022 Monthly Status Report - Wagner - Shillon Church Noau Removal Sampling & Data Mgillt
Halla	
Hello-	

As required by contract, I am forwarding an electronic copy of Tetra Tech's *August 2022* Monthly Status Report for each of your START6 TDs with activity this month. This report includes technical and financial information on the project. If you have any questions regarding the content of these reports, please contact the Tetra Tech project team leader assigned to your project.

I will send these reports each month via e-mail. You are receiving this report because you were identified as the WAM in our authorizing document. If this report should be forwarded to a different WAM or you have any problems opening the enclosed attachments, please do not hesitate to contact me.

Thank you,

Message

## Nonresponsive based on revised scope

**Tetra Tech** | Complex World, Clear Solutions™ | EMI Operating Unit/Northeast Operations 240 Continental Drive, Newark, DE 19713 | tetratech.com

\*\*\*Sending Monthly Status Report on behalf of Program Manager Nonresponsive based on revised scope

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system. Please consider the environment before printing.